





Fresh Neutral Disinfectant Cleaner

Disinfectant, Fungicide, Mildewstat, Virucide*

ACTIVE INGREDIENTS: Didecyl Dimethyl Ammonium Chloride Alkyl (50% C14, 40% C12, 10% C16) Dimethyl Benzyl Ammonium Chloride OTHER INGREDIENTS:

KEEP OUT OF REACH OF CHILDREN

100,00% See back panel of label for precautionary statements.

Net Contents: 1 Quart

FIRST AID: In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue innsing eye. IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. IF INHALED: Move person to fresh air. If person is not breathing or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. IF SWALLOWEL Have berson sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison c doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately

for treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage

Fresh Neutral Disinfectant Cleaner

Disinfectant, Fungicide, Mildewstat, Virucide*

ACTIVE INGREDIENTS:	
Didecyl Dimethyl Ammonium Chloride	2.54%
Alkyl (50% C14, 40% C12, 10% C16)	
Dimethyl Benzyl Ammonium Chloride	1.69%
OTHER INGREDIENTS:	95.77%
TOTAL ·	100.00%

ZE-90Þ

reuse or reini unis container, wrap empty container and put in uasn

CONTAINER HANDLING: Non-Refillable Container. Do not

ous Waste Representative at the nearest EPA Regional Office

disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazard-

ardous, Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be

accessible to children or persons unfamiliar with its proper use. PESTICIDE DISPOSAL: Pesticide wastes are acutely haz-

veeb full biognot nuger locked storage smillcleur to make it in-

PESTICIDE STORAGE: Store only in original container.

Do not contaminate water, 100d, or feed by storage and disposal.

2 oz. per gal. water of this product into a bucket, bottle, scrubber

tions for proper placement of cartridge. Press button to dispense cap and insert cartridge into dispenser. See dispenser instruc-

AUTOMATED DILUTION SYSTEM INSTRUCTIONS: Remove

this product per gal. of water to hard, non-porous surfaces. Kinse or allow to air dry.

GENERAL DEODORIZATION: To deodorize, apply 2 - 4 oz. of

of mold and mildew and their odors. Repeat treatment every seven days, or more often if new growth appears.

uct per gal. of water. Apply use solution to hard, non-porous surfaces which will effectively inhibit the growth

steas. Prepare use solution by adding 2 oz. of this prod-

3. Treated surfaces must remain wet for 10 minutes. 4. Wipe dry with a dean cloth or allow to air dry. Rinsing of floors is

coarse trigger spray device. For spray applications, spray 6-8

mop, by immersion, auto scrubber, mechanical spray device,

disinfect hard, non-porous surfaces with a sponge, brush, cloth,

7. Pre-clean heavily solled areas. 2. Apply use solution of 2 oz. of this product per gal. of water to

FOR USE AS A ONE-STEP, GENERAL, HOSPITAL DISINFEC-

not necessary unless they are to be waxed or polished. 5. Prepare a fresh solution daily or when visibly dirty.

nches from surface. Do not breathe spray.

TANT, FUNGICIDE, VIRUCIDE*, CLEANER:

Storage and disposal

KEEP OUT OF REACH OF CHILDREN

See back panel of label for precautionary statements.

EPA Reg. No. 10324-154-16924 **EPA Est. No.** 8325-PA-01 Net Contents: 1 Quart

FIRST AID: In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when cálling a poison control center or doctor, or going for treatment. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible, IF SWALLOWED: Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately for treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric layage.

or offer for recycling.

Fresh Neutral Disinfectant Cleaner

Disinfectant, Fungicide, Mildewstat, Virucide*

ACTIVE INGREDIENTS: Didecyl Dimethyl Ammonium Chloride Alkyl (50% C14, 40% C12, 10% C16) Dimethyl Benzyl Ammonium Chloride OTHER INGREDIENTS: TOTAL:

Net Contents: 1 Quart

KEEP OUT OF REACH OF CHILDREN

100.00% See back panel of label for precautionary statements.

FIRST AID: In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible, IF SWALLOWED: Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

or offer for recycling.

euse or reini uns container, virap emply container and put in uasr

CONTAINER HANDLING: Non-Refillable Container. Do not

ous Waste Representative at the nearest EPA Regional Office

disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazard-

rinsate is a violation of Federal Law. If these wastes cannot be

ardous. Improper disposal of excess pesticide, spray mixture or

BESTICIDE DISPOSAL: Pesticide wastes are acutely haz-

veeb fuiz broance nuger rocked storage surricient to make it in-

PESTICIDE STORAGE: Store only in original container

STORAGE AND DISPOSAL

o not contaminate water, tood, or teed by storage and disposal.

2 oz. per gal. water of this product into a bucket, bottle, scrubber

cap and insert cartridge into dispenser. See dispenser instruc-tions for proper placement of cartridge. Press button to dispense

this product per gal. of water to hard, non-porous surfaces. Rinse or allow to air dry.

AUTOMATED DILUTION SYSTEM INSTRUCTIONS: Remove

GENERAL DEODORIZATION: To deodorize, apply 2 - 4 oz. of

of mold and mildew and their odors. Repeat treatment every seven days, or more often if new growth appears.

uct per gal. of water. Apply use solution to hard, non-porous surfaces which will effectively inhibit the growth

TO CONTROL MOLD/MILDEW: Pre-clean heavily soiled areas. Prepare use solution by adding 2 oz. of this prod-

3. Treated surfaces must remain wet for 10 minutes. 4. Wipe dry with a clean cloth or allow to air dry. Rinsing of floors is

coarse trigger spray device. For spray applications, spray 6-8

mop, by immersion, auto scrubber, mechanical spray device,

disinfect hard, non-porous surfaces with a sponge, brush, cloth,

1. Pre-clean heavily soiled areas. 2. Apply use solution of 2 oz. of this product per gal. of water to

FOR USE AS A ONE-STEP, GENERAL, HOSPITAL DISINFEC-

5. Prepare a tresh solution daily or when visibly dirty. not necessary unless they are to be waxed or polished

inches from surface. Do not breatne spray.

TANT, FUNGICIDE, VIRUCIDE*, CLEANER:

800-442-0213

www.enichols.com Norton Shores, MI 49456 1391 Judson Rd.

MANUFACTURED FOR:

his product is not for use on medical device surfaces. Before using this product, but the not said packaging materials must be removed from the re after application of product. Rinse hard, non-porous food contact surfaces with potable water (J-17)

It is a violation of Federal law to use this product in a manner in-

or offer for recycling. 20 of renn this container, wrap empty container and put in usan TAINER HANDLING: Non-Refillable Container. Do not ous Waste Representative at the nearest EPA Regional Office dance.

76-33

disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardardous, Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be accessible to children or persons unfamiliar with its proper use. PESTICIDE DISPOSAL: Pesticide wastes are acutely hazveeb ruiz broance nuger rocked storage smillcrent to make it in-PESTICIDE STORAGE: Store only in original container. to not containinate water, rood, or reed by storage and disposal.

STORAGE AND DISPOSAL

2 oz. per gal. water of this product into a bucket, bottle, scrubber cap and insert cartridge into dispenser. See dispenser instruc-tions for proper placement of cartridge. Press button to dispense AUTOMATED DILUTION SYSTEM INSTRUCTIONS: Remove

this product per gal, of water to hard, non-porous surfaces. Kinse or allow to air dry. GENERAL DEODORIZATION: To deodorize, apply 2 - 4 oz. of of mold and mildew and their odors. Repeat treatment every seven days, or more often if new growth appears. uct per gal. of water. Apply use solution to hard, non-porous surfaces which will effectively inhibit the growth

not ne less they are to be waxed or polished.

| See | Per | April | Per 4. Wipe dry with a clean cloth or allow to air dry. Rinsing of floors is 3. Treated surfaces must remain wet for 10 minutes. incres from surface. Do not breathe spray. coarse trigger spray device. For spray applications, spray 6-8 mop, by immersion, auto scrubber, mechanical spray device, disinfect hard, non-porous surfaces with a sponge, brush, cloth,

1. Pre-clean heavily soiled areas. 2. Apply use solution of 2 oz. of this product per gal, of water to TANT, FUNGICIDE, VIRUCIDE*, CLEANER: FOR USE AS A ONE-STEP, GENERAL, HOSPITAL D

lowing mold at 2 oz. per gal. of 400 ppm hard water and 5% so on hard, non-porous surfaces for up to 7 days. Aspergillus niger DIRECTIONS FOR USE MILDEWSTATIC PERFORMANCE: This product controls the fol

Fundin In View of the Park of -UNGICIDAL PERFORMANCE:

1, Herpes Simplex Virus Type 2, Human Cord 5% soil on hard, non-porous surfaces: Herpes single in Type viruses in 10 minutes at 2 oz. per gal. of 400 Staphylococcus aureus.

VIRUCIDAL* PERFORMANCE: This product kills the following

Distribution of the property of 40 minutes and the following bacteria in 10 minutes at 2 oz. per gal. of 40 minutes at 2 oz. per gal. Es minutes at 2 oz

oni ing tormula eliminates the time and labor leges. For use on counters, sinks, shower the sources. Mon-plated or stainless steel, aluminum, lamin red sources. Monstores, institutional facilities, hotels and motels, schools and colmedical and dental offices and clinics, nursing homes, restaurants, cafeterias, day care centers and nursenes, convenience This product is for use on hard, non-porous surfaces in hospitals,

i nis product is toxic to rish, aquatic invertebrates, oysters and snrimp. ENVIRONMENTAL HAZARDS

contaminated clothing and wash clothing before reuse. drinking, chewing gum, using tobacco or using the tollet. Kemove thoroughly with soap and water after handling and before eating, sal resistant gloves and protective clothing when handling. Wash not breathe spray mist. Wear goggles or face shield and chem through the skin. Do not get in eyes, on skin, or on clothing. Do once, May be tatal if inhaled, Hamful it swallowed or DANGER. Corrosive. Causes irreversible eye damaç HAZARDS TO HUMANS AND DOMESTIC ANIM NARY STATEMENTS

800-445-0213

www.enichols.com Norton Shores, MI 49456 1391 Judson Rd.

l his product is not for use on medical device surfaces. feisls must be removed from the room or carefully protected. after application of product. Kinse hard, non-porous food contact surfaces with potable water

It is a violation of Federal law to use this product in a manner in-

on hard, non-porous surfaces for up to 7 days: Aspergillus niger. los %5 bre set man har gal. of 400 ppm hard water and 5% soil

MILDEWSTATIC PERFORMANCE: This product controls the fol soil on hard, non-porous surfaces: Trichophyton mentagrophyte: (Athlete's foot fungus) (a cause of Ringwom). fungi in 10 minutes at 2 oz. per gal. of 400 ppm hard water and 5%

1, Herpes Simplex Virus Type 2, Human Coronavirus, Influenza A 5% soil on hard, non-porous surfaces: Herpes Simplex Virus Type viruses in 10 minutes at 2 oz. per gal. of 400 ppm hard water and VIRUCIDAL* PERFORMANCE: This product kills the following

coccus faecalis, Pseudomonas aeruginosa, Salmonelia entenca 5% soil on hard, non-porous surfaces: Escherichia coli, Entero-DISINFECTION PERFORMANCE: This product kills the following bacteria in 10 minutes at 2 oz. per gal. of 400 ppm hard water and

duling tormula eliminates the time and labor normally required plated or stainless steel, aluminum, laminated surfaces. Noneges. For use on counters, sinks, shower stalls, tables, challs, stores, institutional facilities, hotels and motels, schools and colmedical and dental offices and clinics, nursing homes, restaurants, cafeterias, day care centers and nurseries, convenience This product is for use on hard, non-porous surfaces in hospitals,

I DIS Product is toxic to rish, aquatic invertebrates, oysters and snimp.

contaminated clothing and wash clothing before reuse. drinking, chewing gum, using tobacco or using the toilet. Remove thoroughly with soap and water after handling and before eating, cal resistant gloves and protective clothing when handling. Wash not breathe spray mist. Wear goggles or face shield and chemithrough the skin. Do not get in eyes, on skin, or on clothing. Do DUTINS. May be tatal it inhaled. Harmful it swallowed or absorbed DANGER. Corrosive. Causes irreversible eye damage and skin

PRECAUTIONARY STATEMENTS

800-445-0513

www.enichols.com Norton Shores, MI 49456 1391 Judson Rd.

SIOHOIN

МАМИГАСТИВЕD FOR: lins product is not for use on medical device surfaces.

erials must be removed from the room or carefully protected. Retore using this product, food products and packaging maafter application of product.

Kinse hard, non-porous food contact surfaces with potable water consistent with its labeling.

It is a violation of Federal law to use this product in a manner in-

lowing mold at 2 oz, per gal, of 400 ppm hard water and 5% soil on hard, non-porous surfaces for up to 7 days. Aspergillus niger,

MILDEWSTATIC PERFORMANCE: This product controls the folsoil on hard, non-porous surfaces: Trichophyton mentagrophytes (Athlete's foot fungus) (a cause of Ringworm). fungi in 10 minutes at 2 oz. per gal. of 400 ppm hard water and 5%

EUNGICIDAL PERFORMANCE: This product kills the following 1, Herpes Simplex Virus Type 2, Human Coronavirus, Influenza A 5% soil on hard, non-porous surfaces: Herpes Simplex Virus Type

viruses in 10 minutes at 2 oz. per gal. of 400 ppm hard water and VIRUCIDAL* PERFORMANCE: This product kills the following 5% soil on hard, non-porous surfaces: Escherichia coli, Entero-coccus faecalis, Pseudomonas aeruginosa, Salmonella enterica, Stephideoscalus, grupus

DISINFECTION PERFORMANCE: This product kills the following bacteria in 10 minutes at 2 oz. per gal. of 400 ppm hard water and

duling formula eliminates the time and labor normally required plated or stainless steel, aluminum, laminated surfaces. Noneges. Por use on counters, sinks, shower stalls, tables, challs, stores, institutional facilities, hotels and motels, schools and col-Lants, caretenas, day care centers and nursenes, convenience medical and dental offices and clinics, nursing homes, restau-This product is for use on hard, non-porous surfaces in hospitals,

i nis product is toxic to risn, aquatic invertebrates, oysters and snrimp. ENVIRONMENTAL HAZARDS

contaminated clothing and wash clothing before reuse. annxing, chewing gum, using tobacco or using the tollet. Kemove thoroughly with soap and water after handling and before eating, sel resistant gloves and protective clothing when handling. Wash not preathe spray mist. Wear goggles or tace shield and chemithrough the skin. Do not get in eyes, on skin, or on clothing. Do dums. May be tatal it inhaled. Harmful it swallowed of absorbed DANCER. Corrosive. Causes irreversible eye damage and skin

HAZARDS TO HUMANS AND DOMESTIC ANIMALS PRECAUTIONARY STATEMENTS

11:18 am, Nov 01,

APPROVED

By Jori Fravel at Fravel at

FUNGICIDAL PERFORMANCE: This product kills the followin

ENVIRONMENTAL HAZARDS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS