

SAFETY DATA SHEET

1. Identification

Product identifier	Solvent Based Stainless Stee	el Cleaner		
Other means of identification				
Product code	91780			
Recommended use	Stainless Steel Cleaner			
Recommended restrictions	None known.			
Manufacturer/Importer/Supplier Manufacturer	r/Distributor information			
Company name Address	Fuller Commercial Products One Fuller Way Great Bend, KS 67530 United States			
Telephone	Customer Service (8	800) 810-4829		
E-mail	Not available.			
Emergency phone number		800) 424-9300		
		(20) 792-1711		
	<u> </u>	800) 424-9300		
2. Hazard(s) identification	n			
Physical hazards	Flammable aerosols		Category 1	
Health hazards	Aspiration hazard		Category 1	
Environmental hazards	Hazardous to the aquatic environment, acute hazard		Category 2	
	Hazardous to the aquatic environment, long-term hazard		Category 2	
OSHA defined hazards	Not classified.			
Label elements				
		¥2		
Signal word	Danger			
Hazard statement	Extremely flammable aerosol. N Toxic to aquatic life. Toxic to ac		wallowed and enters airways. Causes skin irritation. ong lasting effects.	
Precautionary statement				
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Wash thoroughly after handling. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.			
Response	If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. If on skin: Wash with plenty of water. If exposed or concerned: Get medical advice/attention. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Collect spillage.			
Storage	Store locked up. Protect from s	unlight. Do not	expose to temperatures exceeding 50°C/122°F.	
Disposal	Dispose of contents/container i	n accordance v	vith local/regional/national/international regulations.	
Hazard(s) not otherwise classified (HNOC)	Combustible.			

100% of the mixture consists of component(s) of unknown acute oral toxicity. 100% of the mixture consists of component(s) of unknown acute dermal toxicity. 28.9% of the mixture consists of component(s) of unknown acute inhalation toxicity. 43.9% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 43.9% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
ISOPARAFFINIC HYDROCARBOI	N	64742-47-8	50 - < 60
WHITE MINERAL OIL		8042-47-5	20 - < 30
ISOBUTANE		75-28-5	5 - < 10
PROPANE		74-98-6	5 - < 10

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Aspiration may cause pulmonary edema and pneumonitis. May cause redness and pain.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.
5. Fire-fighting measures	

Suitable extinguishing media	Alcohol resistant foam. Powder. Dry chemicals. Carbon dioxide (CO2).		
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.		
Specific hazards arising from the chemical	Contents under pressure. Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.		
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.		
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk. Cool containers exposed to heat with water spray and remove container, if no risk is involved. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.		
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. In the event of fire and/or explosion do not breathe fumes.		
General fire hazards	Extremely flammable aerosol. Combustible.		

6. Accidental release measures

Personal precautions,	Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during
protective equipment and emergency procedures	clean-up. Do not touch or walk through spilled material. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal
	protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up	Refer to attached safety data sheets and/or instructions for use. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Use water spray to reduce vapors or divert vapor cloud drift. Keep combustibles (wood, paper, oil, etc.) away from spilled material. Prevent product from entering drains. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
Environmental precautions	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all
	environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Should be handled in closed systems, if possible. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Level 3 Aerosol.
including any incompatibilities	Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Туре	Value	Form
PROPANE (CAS 74-98-6)	PEL	1800 mg/m3	
		1000 ppm	
WHITE MINERAL OIL (CAS 8042-47-5)	PEL	5 mg/m3	Mist.
US. ACGIH Threshold Limit Va			
Components	Туре	Value	Form
ISOBUTANE (CAS 75-28-5)	STEL	1000 ppm	
WHITE MINERAL OIL (CAS 8042-47-5)	TWA	5 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide to C	hemical Hazards		
Components	Туре	Value	Form
ISOBUTANE (CAS 75-28-5)	TWA	1900 mg/m3	
		800 ppm	
ISOPARAFFINIC HYDROCARBON (CAS 64742-47-8)	TWA	100 mg/m3	
PROPANE (CAS 74-98-6)	TWA	1800 mg/m3	
		1000 ppm	
WHITE MINERAL OIL (CAS 8042-47-5)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
	IWA	e mg/me	

Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash fountain and emergency showers are recommended.			
Individual protection measures	, such as personal protective equipment			
Eye/face protection	Chemical respirator with organic vapor cartridge and full facepiece.			
Skin protection				
Hand protection	Wear appropriate chemical resistant gloves.			
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.			
Respiratory protection	Chemical respirator with organic vapor cartridge and full facepiece.			
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.			
General hygiene considerations	Observe any medical surveillance requirements. When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.			

9. Physical and chemical properties

5. Thysical and chemical					
Appearance	Liquid.				
Physical state	Liquid.				
Form	Aerosol. Watery liquid.				
Color	Clear colorless or nearly colorless				
Odor	Matches to Standard				
Odor threshold	Not available.				
рН	Not available.				
Melting point/freezing point	Not available.				
Initial boiling point and boiling range	Not available.				
Flash point	Not available.				
Evaporation rate	Not available.				
Flammability (solid, gas)	Not applicable.				
Upper/lower flammability or exp					
Flammability limit - lower (%)	0.7 % estimated				
Flammability limit - upper (%)	9.5 % estimated				
Explosive limit - lower (%)	Not available.				
Explosive limit - upper (%)	Not available.				
Vapor pressure	1296.48 hPa estimated				
Vapor density	Not available.				
Relative density	Not available.				
Solubility(ies)					
Solubility (water)	Not available.				
Partition coefficient (n-octanol/water)	Not available.				
Auto-ignition temperature	410 °F (210 °C) estimated				
Decomposition temperature	Not available.				
Viscosity	Not available.				
Other information					
Density	6.56 lbs/gal estimated				
Explosive properties	Not explosive.				
Flame extension	> 18				
Flammability class	Flammable IA estimated				

Heat of combustion (NFPA 30B) Oxidizing properties Specific gravity VOC 10. Stability and reactivity Reactivity Chemical stability Possibility of hazardous	-			
Specific gravity VOC 10. Stability and reactivity Reactivity Chemical stability	0.79 estimated 15 y			
VOC 10. Stability and reactivity Reactivity Chemical stability	15 y			
10. Stability and reactivity Reactivity Chemical stability	y			
Reactivity Chemical stability	-	15		
Chemical stability	The product is stable and per rea			
-	The product is stable and non-read	ctive under normal conditions of use, storage and transport.		
Possibility of hazardous	Material is stable under normal co	nditions.		
reactions	Hazardous polymerization does no	ot occur.		
Conditions to avoid	Avoid temperatures exceeding the	flash point. Contact with incompatible materials.		
Incompatible materials	Strong oxidizing agents. Chlorine.	Fluorine. Nitrates.		
Hazardous decomposition products	No hazardous decomposition prod	ucts are known.		
11. Toxicological informa	ation			
Information on likely routes of e	exposure			
Inhalation	Prolonged inhalation may be harm	ful.		
Skin contact	Causes skin irritation.			
Eye contact	Direct contact with eyes may caus	e temporary irritation.		
Ingestion	Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia. Concentration of product is an aspiration hazard that can be harmful or fatal if swallowed and enters airways. However, due to the form and method of deliverance of product, ingestion is not a primary route of exposure.			
Symptoms related to the physical, chemical and toxicological characteristics	Aspiration may cause pulmonary edema and pneumonitis. May cause redness and pain.			
Information on toxicological eff	ects			
Acute toxicity	May be fatal if swallowed and ente	rs airways.		
Product	Species	Test Results		
Solvent Based Stainless Steel Cle	eaner			
Acute				
Inhalation				
LC50	Mouse	619 mg/l, 1 Hours estimated		
	Rat	21860 mg/l, 15 Minutes estimated		
Components	Species	Test Results		
ISOBUTANE (CAS 75-28-5)				
<u>Acute</u> Inhalation				
LC50	Mouse	52 mg/l, 1 Hours		
	Causes skin irritation.			
Skin corrosion/irritation Serious eye damage/eye irritation	Direct contact with eyes may caus	e temporary irritation.		
Respiratory or skin sensitizatio	n			
Respiratory sensitization	Not a respiratory sensitizer.			
Skin sensitization	This product is not expected to car	use skin sensitization.		
Germ cell mutagenicity	May cause genetic defects.			
Carcinogenicity	May cause cancer.			
	Evaluation of Carcinogenicity			
WHITE MINERAL OIL (C		Not classifiable as to carcinogenicity to humans. 1052)		

US. National Toxicology Pro	ogram (NTP) Report on Carcino	jens	
Not listed.	This was d			
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.			
Specific target organ toxicity - single exposure	Not classified.			
Specific target organ toxicity - repeated exposure	Not classified.			
Aspiration hazard	May be fa	tal if swallowed and er	nters airways. Not likely,	due to the form of the product.
Chronic effects	Prolonged inhalation may be harmful.			
12. Ecological information	n			
Ecotoxicity	Toxic to a	quatic life with long las	sting effects.	
Product		Species		Test Results
Solvent Based Stainless Stee	l Cleaner			
Aquatic				
Fish	LC50	Fish		5.1693 mg/l, 96 hours estimated
Persistence and degradability	No data is	available on the degr	adability of this product.	
Bioaccumulative potential				
Partition coefficient n-octar ISOBUTANE PROPANE	iol / water (l		2.76 2.36	
Mobility in soil	No data available.			
Other adverse effects	The product contains volatile organic compounds which have a photochemical ozone creation potential.			
13. Disposal consideratio	ns			
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.			
Local disposal regulations	Dispose in accordance with all applicable regulations.			
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.			
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).			
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.			
14. Transport information	1			
DOT				
UN number	UN1950	flommobile (acch tot	overeding 1 Learnester	
UN proper shipping name Transport hazard class(es)	Aerosois,	nammable, (each not	exceeding 1 L capacity)	

Aerosols, nammable, (each not exceeding TL capacity)
2.1
-
2.1
Not available.
Read safety instructions, SDS and emergency procedures before handling.
N82
306
None
None
UN1950
Aerosols, flammable, (each not exceeding 1 L capacity)

Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Label(s)	2.1
Packing group	Not available.
Environmental hazards	No.
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
IMDG	
UN number	UN1950
UN proper shipping name	Aerosols, flammable, (each not exceeding 1 L capacity)
Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Label(s)	2.1
Packing group	Not available.
Environmental hazards	
Marine pollutant	No.
EmS	Not available.
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not established.
DOT	



15. Regulatory information

US federal regulations	

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are listed or exempted from listing on the U.S. EPA TSCA Inventory List.

Toxic Substances Control Act (TSCA)	
TSCA Section 12(b) Export Notification	(40 CFR 707, Subpt. D)
Not regulated.	
CERCLA Hazardous Substance List (40 CFR	302.4)
ISOBUTANE (CAS 75-28-5)	Listed.
PROPANE (CAS 74-98-6)	Listed.
SARA 304 Emergency release notification	
Not regulated.	
OSHA Specifically Regulated Substances (2	9 CFR 1910.1001-1052)
Not regulated.	

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No (Exempt) chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

ISOBUTANE (CAS 75-28-5)

PROPANE (CAS 74-98-6)

Safe Drinking Water Act Contains component(s) regulated under the Safe Drinking Water Act.

(SDWA)

US state regulations

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

ISOBUTANE (CAS 75-28-5) ISOPARAFFINIC HYDROCARBON (CAS 64742-47-8)

International Inventories

Country(s) or region	Inventory name On	inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Ves" indicates that all compo	pents of this product comply with the inventory requirements administered by the governing	country(s)

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	12-02-2014
Revision date	04-09-2020
Version #	03
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Hazard(s) identification: Hazard statement Hazard(s) identification: Prevention Fire-fighting measures: Suitable extinguishing media Fire-fighting measures: Fire fighting equipment/instructions Accidental release measures: Environmental precautions Accidental release measures: Methods and materials for containment and cleaning up Handling and storage: Conditions for safe storage, including any incompatibilities Exposure controls/personal protection: Hand protection Physical & Chemical Properties: Multiple Properties Disposal considerations: Disposal instructions Disposal considerations: Hazardous waste code